

# Flexible Stainless Steel Gas Hose for Combustor

Complete selection of flexible connectors for gas appliance.

The DAEJIN GENIE GASFLEX system ensures safe, efficient, and reliable gas installation for both residential and commercial structures. Designed for versatility, it seamlessly powers both indoor and outdoor appliances, making every connection strong, secure, and built to last.



Simple to assemble



Easy to adjust



Corrosion free



100% Leak tested

## Certificates

ANSI Z 21.24 / CSA 6.10 Connectors For Gas Appliances

ANSI Z 21.75 / CSA 6.27 Connectors For Outdoor Gas Appliances And Manufactured Homes

## Applications & Compatibility

Our gas connectors are designed for use between the gas supply and the gas inlet of indoor or outdoor stationary appliances that remain fixed after installation.


- ❌ Not for use with wheeled, caster-mounted, or portable appliances.
- ✅ Compatible with natural gas, manufactured gas, mixed gas, liquefied petroleum (LP) gas, propane, and LP gas-air mixtures.

## Indoor

Water Heater / Gas Fireplace / Garage Heater / Wall Heater / Tankless Water Heater / Furnace / Space Heaters

## Outdoor

Rooftop Units / Outdoor Dryer Stationary / Outdoor Grills / Gas Fire Pits



Compatible with a variety of systems flexible to suit your application.

## Part Numbering System

**DJ - GC - Y - 14 - AA - 36**

①      ②      ③      ④

① Surface Coating	② Tube Size	③ End Fittings	④ Length
<b>S</b> Stainless Steel 304 (Not coated)	<b>14</b> 1/4" ID (3/8" OD)	<b>A</b> 3/8" MIP	12"
<b>Y</b> Yellow Epoxy	<b>38</b> 3/8" ID (1/2" OD)	<b>B</b> 3/8" FIP	18"
<b>X</b> Black Epoxy	<b>13</b> 1/2" ID (3/4" OD)	<b>C</b> 1/2" MIP (tapped 3/8" FIP)	24"
	<b>34</b> 3/4" ID (1" OD)	<b>D</b> 1/2" FIP	30"
		<b>E</b> 3/4" MIP (tapped 1/2" FIP)	36"
		<b>F</b> 3/4" FIP	48"
			60"
			72"

### BTU Capacities Chart - Per ANSI Z21.24 / CSA 6.10

Nominal OD (Inch)	Nominal ID (Inch)	Straight Length Capacity - Natural Gas BTU PER HOUR							
		12"	18"	24"	30"	36"	48"	60"	72"
3/8"	1/4"	48,000	43,800	40,000	36,400	33,400	28,300	24,900	23,100
1/2"	3/8"	102,000	93,100	85,000	77,100	71,100	60,500	53,200	49,100
3/4"	1/2"	180,000	164,200	150,000	136,000	125,000	106,000	93,200	86,000
1"	3/4"	-	-	290,900	270,500	255,900	215,000	197,400	173,900

Nominal OD (Inch)	Nominal ID (Inch)	Straight Length Capacity - LPG (Propane) BTU PER HOUR							
		12"	18"	24"	30"	36"	48"	60"	72"
3/8"	1/4"	76,800	70,080	64,000	58,240	53,440	45,280	39,840	36,960
1/2"	3/8"	163,200	148,960	136,000	123,360	113,760	96,800	85,120	78,560
3/4"	1/2"	288,000	262,720	240,000	217,600	200,000	169,600	149,120	137,600
1"	3/4"	-	-	465,440	432,800	409,440	344,000	315,840	278,240

- Operating temperature : - 40°F to 150°F (4°C to 65°C)
- Working Pressure : 0.5 psi

### Materials

**Tube** – Stainless Steel 304

**Coating** – Epoxy (black or yellow)

**Fittings** – Brass or Zinc Plated Carbon Steel



Yellow Epoxy



Black Epoxy

Part Number	Description	Length	Q'ty
-------------	-------------	--------	------

### 1/4" ID (3/8" OD) FIP X FIP

DJ-GC-Y-14-BB-12	3/8" FIP × 3/8" FIP	12"	25
DJ-GC-Y-14-BB-18	3/8" FIP × 3/8" FIP	18"	25
DJ-GC-Y-14-BB-24	3/8" FIP × 3/8" FIP	24"	25
DJ-GC-Y-14-BB-30	3/8" FIP × 3/8" FIP	30"	25
DJ-GC-Y-14-BB-36	3/8" FIP × 3/8" FIP	36"	25
DJ-GC-Y-14-BB-48	3/8" FIP × 3/8" FIP	48"	25
DJ-GC-Y-14-BB-60	3/8" FIP × 3/8" FIP	60"	25
DJ-GC-Y-14-BB-72	3/8" FIP × 3/8" FIP	72"	25
DJ-GC-Y-14-BD-12	3/8" FIP × 1/2" FIP	12"	25
DJ-GC-Y-14-BD-18	3/8" FIP × 1/2" FIP	18"	25
DJ-GC-Y-14-BD-24	3/8" FIP × 1/2" FIP	24"	25
DJ-GC-Y-14-BD-30	3/8" FIP × 1/2" FIP	30"	25
DJ-GC-Y-14-BD-36	3/8" FIP × 1/2" FIP	36"	25
DJ-GC-Y-14-DD-48	3/8" FIP × 1/2" FIP	48"	25
DJ-GC-Y-14-DD-60	3/8" FIP × 1/2" FIP	60"	25
DJ-GC-Y-14-DD-72	3/8" FIP × 1/2" FIP	72"	25
DJ-GC-Y-14-DD-12	1/2" FIP × 1/2" FIP	12"	25
DJ-GC-Y-14-DD-18	1/2" FIP × 1/2" FIP	18"	25
DJ-GC-Y-14-DD-24	1/2" FIP × 1/2" FIP	24"	25
DJ-GC-Y-14-DD-30	1/2" FIP × 1/2" FIP	30"	25
DJ-GC-Y-14-DD-36	1/2" FIP × 1/2" FIP	36"	25
DJ-GC-Y-14-DD-48	1/2" FIP × 1/2" FIP	48"	25
DJ-GC-Y-14-DD-60	1/2" FIP × 1/2" FIP	60"	25
DJ-GC-Y-14-DD-72	1/2" FIP × 1/2" FIP	72"	25

### 1/4" ID (3/8" OD) MIP X FIP

DJ-GC-Y-14-AB-12	3/8" MIP × 3/8" FIP	12"	25
DJ-GC-Y-14-AB-18	3/8" MIP × 3/8" FIP	18"	25
DJ-GC-Y-14-AB-24	3/8" MIP × 3/8" FIP	24"	25
DJ-GC-Y-14-AB-30	3/8" MIP × 3/8" FIP	30"	25
DJ-GC-Y-14-AB-36	3/8" MIP × 3/8" FIP	36"	25
DJ-GC-Y-14-AB-48	3/8" MIP × 3/8" FIP	48"	25
DJ-GC-Y-14-AB-60	3/8" MIP × 3/8" FIP	60"	25
DJ-GC-Y-14-AB-72	3/8" MIP × 3/8" FIP	72"	25
DJ-GC-Y-14-AD-12	3/8" MIP × 1/2" FIP	12"	25
DJ-GC-Y-14-AD-18	3/8" MIP × 1/2" FIP	18"	25
DJ-GC-Y-14-AD-24	3/8" MIP × 1/2" FIP	24"	25
DJ-GC-Y-14-AD-30	3/8" MIP × 1/2" FIP	30"	25

Part Number	Description	Length	Q'ty
DJ-GC-Y-14-AD-36	3/8" MIP × 1/2" FIP	36"	25
DJ-GC-Y-14-AD-48	3/8" MIP × 1/2" FIP	48"	25
DJ-GC-Y-14-AD-60	3/8" MIP × 1/2" FIP	60"	25
DJ-GC-Y-14-AD-72	3/8" MIP × 1/2" FIP	72"	25
DJ-GC-Y-14-CD-12	1/2" MIP (3/8" FIP Tap) × 1/2" FIP	12"	25
DJ-GC-Y-14-CD-18	1/2" MIP (3/8" FIP Tap) × 1/2" FIP	18"	25
DJ-GC-Y-14-CD-24	1/2" MIP (3/8" FIP Tap) × 1/2" FIP	24"	25
DJ-GC-Y-14-CD-30	1/2" MIP (3/8" FIP Tap) × 1/2" FIP	30"	25
DJ-GC-Y-14-CD-36	1/2" MIP (3/8" FIP Tap) × 1/2" FIP	36"	25
DJ-GC-Y-14-CD-48	1/2" MIP (3/8" FIP Tap) × 1/2" FIP	48"	25
DJ-GC-Y-14-CD-60	1/2" MIP (3/8" FIP Tap) × 1/2" FIP	60"	25
DJ-GC-Y-14-CD-72	1/2" MIP (3/8" FIP Tap) × 1/2" FIP	72"	25

### 1/4" ID (3/8" OD) FIP X MIP

DJ-GC-Y-14-BC-12	3/8" FIP × 1/2" MIP (3/8" FIP Tap)	12"	25
DJ-GC-Y-14-BC-18	3/8" FIP × 1/2" MIP (3/8" FIP Tap)	18"	25
DJ-GC-Y-14-BC-24	3/8" FIP × 1/2" MIP (3/8" FIP Tap)	24"	25
DJ-GC-Y-14-BC-30	3/8" FIP × 1/2" MIP (3/8" FIP Tap)	30"	25
DJ-GC-Y-14-BC-36	3/8" FIP × 1/2" MIP (3/8" FIP Tap)	36"	25
DJ-GC-Y-14-BC-48	3/8" FIP × 1/2" MIP (3/8" FIP Tap)	48"	25
DJ-GC-Y-14-BC-60	3/8" FIP × 1/2" MIP (3/8" FIP Tap)	60"	25
DJ-GC-Y-14-BC-72	3/8" FIP × 1/2" MIP (3/8" FIP Tap)	72"	25

### 1/4" ID (3/8" OD) MIP X MIP

DJ-GC-Y-14-AA-12	3/8" MIP × 3/8" MIP	12"	25
DJ-GC-Y-14-AA-18	3/8" MIP × 3/8" MIP	18"	25
DJ-GC-Y-14-AA-24	3/8" MIP × 3/8" MIP	24"	25
DJ-GC-Y-14-AA-30	3/8" MIP × 3/8" MIP	30"	25
DJ-GC-Y-14-AA-36	3/8" MIP × 3/8" MIP	36"	25
DJ-GC-Y-14-AA-48	3/8" MIP × 3/8" MIP	48"	25
DJ-GC-Y-14-AA-60	3/8" MIP × 3/8" MIP	60"	25
DJ-GC-Y-14-AA-72	3/8" MIP × 3/8" MIP	72"	25
DJ-GC-Y-14-AC-12	3/8" MIP × 1/2" MIP (3/8" FIP Tap)	12"	25
DJ-GC-Y-14-AC-18	3/8" MIP × 1/2" MIP (3/8" FIP Tap)	18"	25
DJ-GC-Y-14-AC-24	3/8" MIP × 1/2" MIP (3/8" FIP Tap)	24"	25
DJ-GC-Y-14-AC-30	3/8" MIP × 1/2" MIP (3/8" FIP Tap)	30"	25
DJ-GC-Y-14-AC-36	3/8" MIP × 1/2" MIP (3/8" FIP Tap)	36"	25
DJ-GC-Y-14-AC-48	3/8" MIP × 1/2" MIP (3/8" FIP Tap)	48"	25
DJ-GC-Y-14-AC-60	3/8" MIP × 1/2" MIP (3/8" FIP Tap)	60"	25
DJ-GC-Y-14-AC-72	3/8" MIP × 1/2" MIP (3/8" FIP Tap)	72"	25

Part Number	Description	Length	Q'ty
DJ-GC-Y-14-CC-12	1/2" MIP (3/8" FIP Tap) × 1/2" MIP (3/8" FIP Tap)	12"	25
DJ-GC-Y-14-CC-18	1/2" MIP (3/8" FIP Tap) × 1/2" MIP (3/8" FIP Tap)	18"	25
DJ-GC-Y-14-CC-24	1/2" MIP (3/8" FIP Tap) × 1/2" MIP (3/8" FIP Tap)	24"	25
DJ-GC-Y-14-CC-30	1/2" MIP (3/8" FIP Tap) × 1/2" MIP (3/8" FIP Tap)	30"	25
DJ-GC-Y-14-CC-36	1/2" MIP (3/8" FIP Tap) × 1/2" MIP (3/8" FIP Tap)	36"	25
DJ-GC-Y-14-CC-48	1/2" MIP (3/8" FIP Tap) × 1/2" MIP (3/8" FIP Tap)	48"	25
DJ-GC-Y-14-CC-60	1/2" MIP (3/8" FIP Tap) × 1/2" MIP (3/8" FIP Tap)	60"	25
DJ-GC-Y-14-CC-72	1/2" MIP (3/8" FIP Tap) × 1/2" MIP (3/8" FIP Tap)	72"	25

### 3/8" ID (1/2" OD) FIP X FIP

DJ-GC-Y-38-BB-12	3/8" FIP × 3/8" FIP	12"	25
DJ-GC-Y-38-BB-18	3/8" FIP × 3/8" FIP	18"	25
DJ-GC-Y-38-BB-24	3/8" FIP × 3/8" FIP	24"	25
DJ-GC-Y-38-BB-30	3/8" FIP × 3/8" FIP	30"	25
DJ-GC-Y-38-BB-36	3/8" FIP × 3/8" FIP	36"	25
DJ-GC-Y-38-BB-48	3/8" FIP × 3/8" FIP	48"	25
DJ-GC-Y-38-BB-60	3/8" FIP × 3/8" FIP	60"	25
DJ-GC-Y-38-BB-72	3/8" FIP × 3/8" FIP	72"	25
DJ-GC-Y-38-BD-12	3/8" FIP × 1/2" FIP	12"	25
DJ-GC-Y-38-BD-18	3/8" FIP × 1/2" FIP	18"	25
DJ-GC-Y-38-BD-24	3/8" FIP × 1/2" FIP	24"	25
DJ-GC-Y-38-BD-30	3/8" FIP × 1/2" FIP	30"	25
DJ-GC-Y-38-BD-36	3/8" FIP × 1/2" FIP	36"	25
DJ-GC-Y-38-BD-48	3/8" FIP × 1/2" FIP	48"	25
DJ-GC-Y-38-BD-60	3/8" FIP × 1/2" FIP	60"	25
DJ-GC-Y-38-BD-72	3/8" FIP × 1/2" FIP	72"	25
DJ-GC-Y-38-DD-12	1/2" FIP × 1/2" FIP	12"	25
DJ-GC-Y-38-DD-18	1/2" FIP × 1/2" FIP	18"	25
DJ-GC-Y-38-DD-24	1/2" FIP × 1/2" FIP	24"	25
DJ-GC-Y-38-DD-30	1/2" FIP × 1/2" FIP	30"	25
DJ-GC-Y-38-DD-36	1/2" FIP × 1/2" FIP	36"	25
DJ-GC-Y-38-DD-48	1/2" FIP × 1/2" FIP	48"	25
DJ-GC-Y-38-DD-60	1/2" FIP × 1/2" FIP	60"	25
DJ-GC-Y-38-DD-72	1/2" FIP × 1/2" FIP	72"	25

### 3/8" ID (1/3" OD) FIP X MIP

DJ-GC-Y-38-DE-12	1/2" FIP × 3/4" MIP (1/2" FIP Tap)	12"	25
DJ-GC-Y-38-DE-18	1/2" FIP × 3/4" MIP (1/2" FIP Tap)	18"	25
DJ-GC-Y-38-DE-24	1/2" FIP × 3/4" MIP (1/2" FIP Tap)	24"	25
DJ-GC-Y-38-DE-30	1/2" FIP × 3/4" MIP (1/2" FIP Tap)	30"	25

Part Number	Description	Length	Q'ty
DJ-GC-Y-38-DE-36	1/2" FIP × 3/4" MIP (1/2" FIP Tap)	36"	25
DJ-GC-Y-38-DE-48	1/2" FIP × 3/4" MIP (1/2" FIP Tap)	48"	25
DJ-GC-Y-38-DE-60	1/2" FIP × 3/4" MIP (1/2" FIP Tap)	60"	25
DJ-GC-Y-38-DE-72	1/2" FIP × 3/4" MIP (1/2" FIP Tap)	72"	25
DJ-GC-Y-38-BC-12	3/8" FIP × 1/2" MIP (3/8" FIP Tap)	12"	25
DJ-GC-Y-38-BC-18	3/8" FIP × 1/2" MIP (3/8" FIP Tap)	18"	25
DJ-GC-Y-38-BC-24	3/8" FIP × 1/2" MIP (3/8" FIP Tap)	24"	25
DJ-GC-Y-38-BC-30	3/8" FIP × 1/2" MIP (3/8" FIP Tap)	30"	25
DJ-GC-Y-38-BC-36	3/8" FIP × 1/2" MIP (3/8" FIP Tap)	36"	25
DJ-GC-Y-38-BC-48	3/8" FIP × 1/2" MIP (3/8" FIP Tap)	48"	25
DJ-GC-Y-38-BC-60	3/8" FIP × 1/2" MIP (3/8" FIP Tap)	60"	25
DJ-GC-Y-38-BC-72	3/8" FIP × 1/2" MIP (3/8" FIP Tap)	72"	25

### 3/8" ID (1/4" OD) MIP X FIP

DJ-GC-Y-38-CD-12	1/2" MIP (3/8" FIP Tap) × 1/2" FIP	12"	25
DJ-GC-Y-38-CD-18	1/2" MIP (3/8" FIP Tap) × 1/2" FIP	18"	25
DJ-GC-Y-38-CD-24	1/2" MIP (3/8" FIP Tap) × 1/2" FIP	24"	25
DJ-GC-Y-38-CD-30	1/2" MIP (3/8" FIP Tap) × 1/2" FIP	30"	25
DJ-GC-Y-38-CD-36	1/2" MIP (3/8" FIP Tap) × 1/2" FIP	36"	25
DJ-GC-Y-38-CD-48	1/2" MIP (3/8" FIP Tap) × 1/2" FIP	48"	25
DJ-GC-Y-38-CD-60	1/2" MIP (3/8" FIP Tap) × 1/2" FIP	60"	25
DJ-GC-Y-38-CD-72	1/2" MIP (3/8" FIP Tap) × 1/2" FIP	72"	25

### 3/8" ID (1/5" OD) MIP X MIP

DJ-GC-Y-38-EE-12	3/4" MIP (1/2" FIP Tap) × 3/4" MIP (1/2" FIP Tap)	12"	25
DJ-GC-Y-38-EE-18	3/4" MIP (1/2" FIP Tap) × 3/4" MIP (1/2" FIP Tap)	18"	25
DJ-GC-Y-38-EE-24	3/4" MIP (1/2" FIP Tap) × 3/4" MIP (1/2" FIP Tap)	24"	25
DJ-GC-Y-38-EE-30	3/4" MIP (1/2" FIP Tap) × 3/4" MIP (1/2" FIP Tap)	30"	25
DJ-GC-Y-38-EE-36	3/4" MIP (1/2" FIP Tap) × 3/4" MIP (1/2" FIP Tap)	36"	25
DJ-GC-Y-38-EE-48	3/4" MIP (1/2" FIP Tap) × 3/4" MIP (1/2" FIP Tap)	48"	25
DJ-GC-Y-38-EE-60	3/4" MIP (1/2" FIP Tap) × 3/4" MIP (1/2" FIP Tap)	60"	25
DJ-GC-Y-38-EE-72	3/4" MIP (1/2" FIP Tap) × 3/4" MIP (1/2" FIP Tap)	72"	25
DJ-GC-Y-38-CC-12	1/2" MIP (3/8" FIP Tap) × 1/2" MIP (3/8" FIP Tap)	12"	25
DJ-GC-Y-38-CC-18	1/2" MIP (3/8" FIP Tap) × 1/2" MIP (3/8" FIP Tap)	18"	25
DJ-GC-Y-38-CC-24	1/2" MIP (3/8" FIP Tap) × 1/2" MIP (3/8" FIP Tap)	24"	25
DJ-GC-Y-38-CC-30	1/2" MIP (3/8" FIP Tap) × 1/2" MIP (3/8" FIP Tap)	30"	25
DJ-GC-Y-38-CC-36	1/2" MIP (3/8" FIP Tap) × 1/2" MIP (3/8" FIP Tap)	36"	25
DJ-GC-Y-38-CC-48	1/2" MIP (3/8" FIP Tap) × 1/2" MIP (3/8" FIP Tap)	48"	25
DJ-GC-Y-38-CC-60	1/2" MIP (3/8" FIP Tap) × 1/2" MIP (3/8" FIP Tap)	60"	25
DJ-GC-Y-38-CC-72	1/2" MIP (3/8" FIP Tap) × 1/2" MIP (3/8" FIP Tap)	72"	25

Part Number	Description	Length	Q'ty
-------------	-------------	--------	------

### 1/2" ID (3/4" OD) FIP X FIP

DJ-GC-Y-13-DD-12	1/2" FIP × 1/2" FIP	12"	25
DJ-GC-Y-13-DD-18	1/2" FIP × 1/2" FIP	18"	25
DJ-GC-Y-13-DD-24	1/2" FIP × 1/2" FIP	24"	25
DJ-GC-Y-13-DD-30	1/2" FIP × 1/2" FIP	30"	25
DJ-GC-Y-13-DD-36	1/2" FIP × 1/2" FIP	36"	25
DJ-GC-Y-13-DD-48	1/2" FIP × 1/2" FIP	48"	25
DJ-GC-Y-13-DD-60	1/2" FIP × 1/2" FIP	60"	25
DJ-GC-Y-13-DD-72	1/2" FIP × 1/2" FIP	72"	25
DJ-GC-Y-13-DF-12	1/2" FIP × 3/4" FIP	12"	25
DJ-GC-Y-13-DF-18	1/2" FIP × 3/4" FIP	18"	25
DJ-GC-Y-13-DF-24	1/2" FIP × 3/4" FIP	24"	25
DJ-GC-Y-13-DF-30	1/2" FIP × 3/4" FIP	30"	25
DJ-GC-Y-13-DF-36	1/2" FIP × 3/4" FIP	36"	25
DJ-GC-Y-13-DF-48	1/2" FIP × 3/4" FIP	48"	25
DJ-GC-Y-13-DF-60	1/2" FIP × 3/4" FIP	60"	25
DJ-GC-Y-13-DF-72	1/2" FIP × 3/4" FIP	72"	25
DJ-GC-Y-13-FF-12	3/4" FIP × 3/4" FIP	12"	25
DJ-GC-Y-13-FF-18	3/4" FIP × 3/4" FIP	18"	25
DJ-GC-Y-13-FF-24	3/4" FIP × 3/4" FIP	24"	25
DJ-GC-Y-13-FF-30	3/4" FIP × 3/4" FIP	30"	25
DJ-GC-Y-13-FF-36	3/4" FIP × 3/4" FIP	36"	25
DJ-GC-Y-13-FF-48	3/4" FIP × 3/4" FIP	48"	25
DJ-GC-Y-13-FF-60	3/4" FIP × 3/4" FIP	60"	25
DJ-GC-Y-13-FF-72	3/4" FIP × 3/4" FIP	72"	25

### 1/2" ID (3/4" OD) FIP X MIP

DJ-GC-Y-13-DE-12	1/2" FIP × 3/4" MIP (1/2" FIP Tap)	12"	25
DJ-GC-Y-13-DE-18	1/2" FIP × 3/4" MIP (1/2" FIP Tap)	18"	25
DJ-GC-Y-13-DE-24	1/2" FIP × 3/4" MIP (1/2" FIP Tap)	24"	25
DJ-GC-Y-13-DE-30	1/2" FIP × 3/4" MIP (1/2" FIP Tap)	30"	25
DJ-GC-Y-13-DE-36	1/2" FIP × 3/4" MIP (1/2" FIP Tap)	36"	25
DJ-GC-Y-13-DE-48	1/2" FIP × 3/4" MIP (1/2" FIP Tap)	48"	25
DJ-GC-Y-13-DE-60	1/2" FIP × 3/4" MIP (1/2" FIP Tap)	60"	25
DJ-GC-Y-13-DE-72	1/2" FIP × 3/4" MIP (1/2" FIP Tap)	72"	25

### 1/2" ID (3/4" OD) MIP X FIP

DJ-GC-Y-13-DE-12	3/4" MIP (1/2" FIP Tap) × 3/4" FIP	12"	25
DJ-GC-Y-13-DE-18	3/4" MIP (1/2" FIP Tap) × 3/4" FIP	18"	25

Part Number	Description	Length	Q'ty
DJ-GC-Y-13-DE-24	3/4" MIP (1/2" FIP Tap) × 3/4" FIP	24"	25
DJ-GC-Y-13-DE-30	3/4" MIP (1/2" FIP Tap) × 3/4" FIP	30"	25
DJ-GC-Y-13-DE-36	3/4" MIP (1/2" FIP Tap) × 3/4" FIP	36"	25
DJ-GC-Y-13-DE-48	3/4" MIP (1/2" FIP Tap) × 3/4" FIP	48"	25
DJ-GC-Y-13-DE-60	3/4" MIP (1/2" FIP Tap) × 3/4" FIP	60"	25
DJ-GC-Y-13-DE-72	3/4" MIP (1/2" FIP Tap) × 3/4" FIP	72"	25

### 1/2" ID (3/4" OD) MIP X MIP

DJ-GC-Y-13-EE-12	3/4" MIP (1/2" FIP Tap) × 3/4" MIP (1/2" FIP Tap)	12"	25
DJ-GC-Y-13-EE-18	3/4" MIP (1/2" FIP Tap) × 3/4" MIP (1/2" FIP Tap)	18"	25
DJ-GC-Y-13-EE-24	3/4" MIP (1/2" FIP Tap) × 3/4" MIP (1/2" FIP Tap)	24"	25
DJ-GC-Y-13-EE-30	3/4" MIP (1/2" FIP Tap) × 3/4" MIP (1/2" FIP Tap)	30"	25
DJ-GC-Y-13-EE-36	3/4" MIP (1/2" FIP Tap) × 3/4" MIP (1/2" FIP Tap)	36"	25
DJ-GC-Y-13-EE-48	3/4" MIP (1/2" FIP Tap) × 3/4" MIP (1/2" FIP Tap)	48"	25
DJ-GC-Y-13-EE-60	3/4" MIP (1/2" FIP Tap) × 3/4" MIP (1/2" FIP Tap)	60"	25
DJ-GC-Y-13-EE-72	3/4" MIP (1/2" FIP Tap) × 3/4" MIP (1/2" FIP Tap)	72"	25

### 3/4" ID (1" OD) FIP X FIP

DJ-GC-Y-34-DD-12	1/2" FIP × 1/2" FIP	12"	25
DJ-GC-Y-34-DD-18	1/2" FIP × 1/2" FIP	18"	25
DJ-GC-Y-34-DD-24	1/2" FIP × 1/2" FIP	24"	25
DJ-GC-Y-34-DD-30	1/2" FIP × 1/2" FIP	30"	25
DJ-GC-Y-34-DD-36	1/2" FIP × 1/2" FIP	36"	25
DJ-GC-Y-34-DD-48	1/2" FIP × 1/2" FIP	48"	25
DJ-GC-Y-34-DD-60	1/2" FIP × 1/2" FIP	60"	25
DJ-GC-Y-34-DD-72	1/2" FIP × 1/2" FIP	72"	25
DJ-GC-Y-34-DF-12	1/2" FIP × 3/4" FIP	12"	25
DJ-GC-Y-34-DF-18	1/2" FIP × 3/4" FIP	18"	25
DJ-GC-Y-34-DF-24	1/2" FIP × 3/4" FIP	24"	25
DJ-GC-Y-34-DF-30	1/2" FIP × 3/4" FIP	30"	25
DJ-GC-Y-34-DF-36	1/2" FIP × 3/4" FIP	36"	25
DJ-GC-Y-34-DF-48	1/2" FIP × 3/4" FIP	48"	25
DJ-GC-Y-34-DF-60	1/2" FIP × 3/4" FIP	60"	25
DJ-GC-Y-34-DF-72	1/2" FIP × 3/4" FIP	72"	25
DJ-GC-Y-34-FF-12	3/4" FIP × 3/4" FIP	12"	25
DJ-GC-Y-34-FF-18	3/4" FIP × 3/4" FIP	18"	25
DJ-GC-Y-34-FF-24	3/4" FIP × 3/4" FIP	24"	25
DJ-GC-Y-34-FF-30	3/4" FIP × 3/4" FIP	30"	25
DJ-GC-Y-34-FF-36	3/4" FIP × 3/4" FIP	36"	25
DJ-GC-Y-34-FF-48	3/4" FIP × 3/4" FIP	48"	25

Part Number	Description	Length	Q'ty
DJ-GC-Y-34-FF-60	3/4" FIP × 3/4" FIP	60"	25
DJ-GC-Y-34-FF-72	3/4" FIP × 3/4" FIP	72"	25

### 3/4" ID (1" OD) FIP X MIP

DJ-GC-Y-34-DE-12	1/2" FIP × 3/4" MIP (1/2" FIP Tap)	12"	25
DJ-GC-Y-34-DE-18	1/2" FIP × 3/4" MIP (1/2" FIP Tap)	18"	25
DJ-GC-Y-34-DE-24	1/2" FIP × 3/4" MIP (1/2" FIP Tap)	24"	25
DJ-GC-Y-34-DE-30	1/2" FIP × 3/4" MIP (1/2" FIP Tap)	30"	25
DJ-GC-Y-34-DE-36	1/2" FIP × 3/4" MIP (1/2" FIP Tap)	36"	25
DJ-GC-Y-34-DE-48	1/2" FIP × 3/4" MIP (1/2" FIP Tap)	48"	25
DJ-GC-Y-34-DE-60	1/2" FIP × 3/4" MIP (1/2" FIP Tap)	60"	25
DJ-GC-Y-34-DE-72	1/2" FIP × 3/4" MIP (1/2" FIP Tap)	72"	25

### 3/4" ID (1" OD) MIP X FIP

DJ-GC-Y-34-EF-12	3/4" MIP (1/2" FIP Tap) × 3/4" FIP	12"	25
DJ-GC-Y-34-EF-18	3/4" MIP (1/2" FIP Tap) × 3/4" FIP	18"	25
DJ-GC-Y-34-EF-24	3/4" MIP (1/2" FIP Tap) × 3/4" FIP	24"	25
DJ-GC-Y-34-EF-30	3/4" MIP (1/2" FIP Tap) × 3/4" FIP	30"	25
DJ-GC-Y-34-EF-36	3/4" MIP (1/2" FIP Tap) × 3/4" FIP	36"	25
DJ-GC-Y-34-EF-48	3/4" MIP (1/2" FIP Tap) × 3/4" FIP	48"	25
DJ-GC-Y-34-EF-60	3/4" MIP (1/2" FIP Tap) × 3/4" FIP	60"	25
DJ-GC-Y-34-EF-72	3/4" MIP (1/2" FIP Tap) × 3/4" FIP	72"	25

### 3/4" ID (1" OD) MIP X MIP

DJ-GC-Y-34-EE-12	3/4" MIP (1/2" FIP Tap) × 3/4" MIP (1/2" FIP Tap)	12"	25
DJ-GC-Y-34-EE-18	3/4" MIP (1/2" FIP Tap) × 3/4" MIP (1/2" FIP Tap)	18"	25
DJ-GC-Y-34-EE-24	3/4" MIP (1/2" FIP Tap) × 3/4" MIP (1/2" FIP Tap)	24"	25
DJ-GC-Y-34-EE-30	3/4" MIP (1/2" FIP Tap) × 3/4" MIP (1/2" FIP Tap)	30"	25
DJ-GC-Y-34-EE-36	3/4" MIP (1/2" FIP Tap) × 3/4" MIP (1/2" FIP Tap)	36"	25
DJ-GC-Y-34-EE-48	3/4" MIP (1/2" FIP Tap) × 3/4" MIP (1/2" FIP Tap)	48"	25
DJ-GC-Y-34-EE-60	3/4" MIP (1/2" FIP Tap) × 3/4" MIP (1/2" FIP Tap)	60"	25
DJ-GC-Y-34-EE-72	3/4" MIP (1/2" FIP Tap) × 3/4" MIP (1/2" FIP Tap)	72"	25

